Author Index

Abella T.A., *see* Lester L.J.
Adam A.B., *see* Siddiqui A.W.
Al-Ahmad T., *see* Hopkins K.D.
Al-Meeri A.-A., *see* Hopkins K.D.
Al-Salman M.H., *see* D'Mello J.P.F.
Ang K.J., *see* MacLean K.H.
Appelbaum S. & Herwitz S.: A technique for maintaining water quality in fish tanks containing eels and fish larvae, 107
Aprahamian M.W., *see* Strange C.D.

Bailey R.G.: An appraisal of the fisheries of the Sudd wetlands, River Nile, southern Sudan, 79
see also Milner A.M.
Bracken J.J., *see* Kelly-Quinn M.
see also O'Maoileidigh N.
Brown J.H., *see* MacLean M.H.

Chang W.Y.B.: Estimates of hypolimnetic oxygen deficits in ponds, 167
Integrated lake farming for fish and environmental management in large shallow Chinese lakes: a review, 441
Copp G.H.: Electrofishing for fish larvae and 0+ juveniles: equipment modifications for increased efficiency with short fishes, 453
Crozier W.W. & Moffett I.J.J.: Experimental production of triploid brown trout, *Salmo trutta* L., using heat shock, 343
Cruz E.M. & Ridha M.: Preliminary study on the production of the tilapia, *Oreochromis spilurus* (Günther), cultured in seawater cages, 381

Dadzie A., *see* Owiti D.O.
Davies S.J.: Comparative performance of juvenile rainbow trout, *Salmo gairdneri* Richardson, fed to satiation with simulated 'standard' and 'high energy' diet formulations, 407
D'Mello J.P.F., Al-Salman M.H. & Mills D.H.: Responses of fingerling carp, *Cyprinus carpio* L., to dietary lysine, 417
De Silva C.D. & Ranasinghe J.: Biochemical evidence of hybrid gene introgression in some reservoir populations of tilapia in southern Sri Lanka, 269
Dunkley D.A. & Shearer W.M.: Swimming height of Atlantic salmon, *Salmo salar* L., crossing a Crump weir, 193

East K., *see* Maitland P.S.

Flores Nava A., Olvera Novoa M. & Garcia Cristiano A.: Effects of stocking density on the growth rates of *Cichlasoma urophthalmus* (Günther) cultured in floating cages, 73
: Growth and feed conversion of cage-reared *Cichlasoma synspillum* Hubbs at three different stocking densities, 173
Forsythe J.W. & Hanlon R.T.: Growth of the Eastern Atlantic squid, *Loligo forbesi* Steenstrup (Mollusca: Cephalopoda), 1

Garcia Cristiano A., *see* Flores Nava A.
Gots B.L., *see* MacCrimmon H.R.

Hanlon R.T., Yang W.T., Turk P.E., Lee P.G. & Hixon R.F.: Laboratory culture and estimated life span of the Eastern Atlantic squid, *Loligo forbesi* Steenstrup, 1856 (Mollusca; Cephalopoda), 15
see also Forsythe J.W.
Harvey M.J., *see* Payne A.I.
Haylor G.S.: The case for the African catfish, *Clarias gariepinus* Burchell, 1822, *Clariidae:* a comparison of the relative merits of the Tilapiine fishes, especially *Oreochromis niloticus* (L.) and *C. gariepinus*, for African aquaculture, 279
Hean-Tatt, Ong, *see* Yap Siaw-Yang
Heinsbroek L.T.N.: Preliminary investigations on husbandry, nutrition and growth of glass eels and elvers, *Anguilla anguilla* L., 119
Hepher B., Milstein A., Leventer H. & Teltsch B.: The effect of fish density and species combination on growth and utilization of natural food in ponds, 59
Herwitz, S., *see* Appelbaum S.
Hesthagen T. & Johnsen B.O.: Survival and growth of summer- and autumn-stocked 0+ brown trout, *Salmo trutta* L., in a mountain lake, 329
: Lake survival of hatchery and pre-stocked pond brown trout, *Salmo trutta* L., 91
Jonsson B. & Skurdal J.: Survival, exploitation and movement of takeable size brown trout, *Salmo trutta* L., in a Norwegian river, 475
Hixon R.F., *see* Hanlon R.T.
Hopkins K.D., Ridha M., Leclercq D., Al-Meeri A.-A. & Al-Ahmad T.: Screening tilapia for culture in sea water in Kuwait, 389
Hossain M.A. & Jauncey K.: Nutritional evaluation of some Bangladeshi oilseed meals as partial substitutes for fish meal in the diet of common carp, *Cyprinus carpio* L., 255
Howlader M.S., *see* Siddiqui A.W.

Jauncey K., *see* Hossain M.A.
see also Maclean M.H.
Jayaprakas V., *see* Tave D.
Johnsen B.O. & Ugedal O.: Feeding by hatchery-reared brown trout, *Salmo trutta* L., released in lakes, 97
see also Hesthagen T.
Jonsson B., *see* Hestagen T.

Kelly-Quinn M. & Bracken J.J.: Survival of stocked hatchery-reared brown trout, *Salmo trutta* L., fry in relation to the carrying capacity of a trout stream, 211
: A comparison of the diet of wild and stocked hatchery-reared brown trout, *Salmo trutta* L., fry, 325
Kim-Seng, Lim, *see* Yap Siaw-Yang
Knights B.: Effects of ammonia accumulation on metabolic rates of growth of European eel, *Anguilla anguilla* L., in relation to warmwater aquaculture, 111

Lawson K.S., *see* Lester L.J.
Leclercq D., *see* Hopkins K.D.
Lee P.G., *see* Hanlon R.T.
Lester L.J., Lawson K.S., Abella T.A. & Palada M.S.: Estimated heritability of sex ratio and sexual dimorphism in tilapia, 369
Leventer H., *see* Hepher B.
Lirski A., *see* Opuszynski K.

McAndrew B.J. & Majumdar K.C.: Growth studies on juvenile tilapia using pure species, hormone-treated and nine interspecific hybrids, 35
MacCrimmon H.R., Gots B.L. & Witzel L.D.: Simple apparatus for assessing embryo survival and alevin emergence of stream salmonids, 333
Maclean M.H., Ang K.J., Brown J.H. & Jauncey K.: The effect of organic fertilizer and formulated feed in pond culture of the freshwater prawn, *Macrobrachium rosenbergii* (de Man): prawn production, 399
Maitland P.S. & East K.: An increase in numbers of ruffe, *Gymnocephalus cernua* (L.), in a Scottish loch, 227
Majumdar K.C., *see* MacAndrew B.J.
Mills D.H., *see* D'Mello J.P.F.
Milner A.M. & Bailey R.G.: Salmonid colonization of new streams in Glacier Bay National Park, Alaska, 179
Milstein A., *see* Hepher B.
Moffett I.J.J., *see* Crozier W.W.
Myszkowski L., *see* Opuszynski K.

Näslund I.: Effects of habitat improvement on the brown trout, *Salmo trutta* L., population of a northern Swedish stream, 463

Olvera Novoa M.A., *see* Flores Nava A.
O'Maoileidigh N. & Bracken J.J.: Biology of the tench, *Tinca tinca* (L.), in an Irish lake, 199
Opuszyński K., Lirski A., Myszkowski L. & Wolnicki J.: Upper lethal and rearing temperatures for juvenile common carp, *Cyprinus carpio* L., and silver carp, *Hypophthalmichthys molitrix* (Valenciennes), 287
Owiti D.O. & Dadzie S.: Maturity, fecundity and the effect of reduced rainfall on the spawning rhythm of a siluroid catfish, *Clarias mossambicus* Peters, 355

Palada M.S., *see* Lester L.J.
Payne A.I. & Harvey M.J.: An assessment of the *Prochilodus platensis* Holmberg population in the Pilcomayo River fishery, Bolivia using scale-based and computer-assisted methods, 233

Ranasinghe J., *see* De Silva C.D.
Řehulka J.: Determining the optimum doses of Kurasan (ethoxiquinolin) and butylhydroxytoluol (BHT) in dry pellets: effect of both anti-oxidants on some haematological and condition parameters of rainbow trout, *Salmo gairdneri* Richardson, 295
Ridha M., *see* Cruz E.M.
see also Hopkins K.D.
Robertson D.A., *see* Wahab M.A.

Seymour E.A.: Devising optimum feeding regimes and temperatures for the warmwater culture of eel, *Anguilla anguilla* L., 129; 311
Shearer W.M., *see* Dunkley D.A.
Siaw-Yang, Yap, Ong Hean-Tatt & Lim Kim-Seng: Formulation of aquaculture development at an ox-bow lake in Malaysia: economic feasibility analysis, 427
Siddiqui A.W., Howlader M.S. & Adam A.B.: Culture of Nile tilapia, *Oreochromis niloticus* (L.), at three stocking densities in outdoor concrete tanks using drainage water, 49
Skurdal J., *see* Hesthagen T.
Smitherman R.O., *see* Tave D.
Stirling H.P., *see* Wahab M.A.
Strange C.D., Aprahamian M.W. & Winstone A.J.: Assessment of a semi-quantitative electric fishing sampling technique for juvenile Atlantic salmon, *Salmo salar* L., and trout, *Salmo trutta* L., in small streams, 485

Tave D., Smitherman R.O. & Jayaprakas V.: Estimates of additive genetic effects, maternal effects, specific combining ability, maternal heterosis, and egg cytoplasm effects for cold tolerance in *Oreochromis niloticus* (L.), 159
Teltsch B., *see* Hepher B.
Toro J.E.: The growth rate of two species of microalgae used in shellfish hatcheries cultured under two light regimes, 249
Turk P.E., *see* Hanlon R.T.

Ugedal O., *see* Johnsen B.O.

Wahab M.A., Stirling H.P. & Robertson D.A.: Influence of brown trout, *Salmo trutta* L., predation on the benthic fauna of earthen ponds, 147
Winstone A.J., *see* Strange C.D.
Witzzel L.D., *see* MacCrimmon H.R.
Wolnicki J., *see* Opuszynski K.

Yang W.T., *see* Hanlon R.T.

Subject Index

Alevin, survival assessment apparatus, 333
Algae, micro, growth rate, 249
Ammonia accumulation, eel growth, 111
Anguilla anguilla, see eel
Assessment, electrofishing sampling technique, 485

BHT, optimum doses, 295
Book reviews:
- *Acidification of Fresh Waters*. By Malcolm Cresser & Anthony Edwards, 144
- *Alimentación en Acuicultura*. Edited by J. Espinosa & V. Labarta, 143
- *Diadromy in Fishes*. By R. M. McDowall, 337
- *Detrius and Microbial Ecology in Aquaculture. Proceedings of the Conference on Detrital Systems for Aquaculture, 26–31 August 1985, Bellagio, Como, Italy*. Edited by D. J. W. Moriarty & R. S. V. Pullin, 143
- *Ecology and Management of Atlantic Salmon*. By Derek Mills, 493
- *Freshwater Crayfish: Biology, Management and Exploitation*. Edited by D. M. Holdich & R. S. Lowry, 339
- *Genética en Acuicultura*. Edited by J. Espinosa & V. Labarta, 143
- *Marine Populations: An Essay on Population Regulation and Speciation*. By Michael Sinclair, 229
- *Nutrición en Acuicultura*. Edited by J. Espinosa & V. Labarta, 143
- *Nutrition of Pond Fishes*. By Balfour Hepher, 229
- *Recent Advances in Aquaculture*. Vol. 3. Edited by J. E. Muir & R. J. Stirling, 330
- *Reproducción en Acuicultura*. Edited by J. Espinosa & V. Labarta, 143
- *Salmon and Trout Farming*. Edited by Lindsay Laird & Ted Needham, 338
- *Salmon Farming Handbook*. By Stephen Drummon, 230
- *The Physiology of Elasmobranch Fishes*. Edited by Trevor J. Shuttleworth, 341.
- *The Provident Sea*. By D. H. Cushing, 230.

Butylhydroxytoluol, optimum doses, 295

Carp:
- common, oilseed meals, 255
- silver,
  - growth, 59
  - rearing temperatures, 287

Carrying capacity, trout stream, 211
Catfish:
- appraisal of fisheries, 79
- comparison with tilapia, 279
- dietary lysine, 417
- spawning, 355

Chaetoceros gracilis, growth rate, 249
Cichlasoma spp., growth, 73; 173
Clarias spp., *see* catfish
Cold, tolerance, tilapia, 159
Colonization, salmonic, new glacial streams, 179
Computer-assisted, population assessment, 233
Condition parameter, rainbow trout, 295
Counting, salmon, crossing weir, 193
Culture:
- concrete tank, tilapia, 49
- laboratory, squid, 15

Cyprinus carpio, see carp, common

Density,
- *Chichlasoma* sp., 73
- fish, on growth and use of food, 59

Dimorphism, sexual, tilapia, 369

Economic, model, lake development, 427
Eel:
- culture, water quality, 107; optimum regimes, 311
- growth, 111, 119

Electrofishing, larvae, juveniles, 453
Embryo, survival assessment, salmonids, 333
Ethoxiquinolin, optimum doses, 295

Feasibility, lake development, 427
Fecundity, catfish, 355
Feeding, trout in lake, 97
Fertilizer, organic, prawns, 399
Fisheries, Sudan wetlands, appraisal, 79
Food:
- carp, lysine, 417; oilseed, 25
- conversion, *Chichlasoma* sp., 173
- eel, 129
- microalgae for shellfish, 249
- natural, earthen ponds, 147
- oilseed for carp, 255
- optimum, eel culture, 311
- prawn, 399
- trout, 325, 407
- utilization, carp, tilapia, 59

Growth:
- carp, 59
- *Cichlasoma* sp., 73; 173
- eel, 111; 119; 129
- hormone treatment, tilapia, 35
- rate, food for shellfish, 249
- squid, 1
- tilapia, 35; 59
- trout, brown, 329

Gymnocephalus cernua, see ruffe

Habitat, improvement, trout, 463
Haematology, rainbow trout, 295
Hatchery:
- shellfish, microalgae, 249
- trout, survival in lake, 91

Heat shock, triploid production, trout, 343
Heritability, sexual dimorphism, tilapia, 369
Husbandry, eel, 119
Hybrid:
- gene introgression, tilapia, 269
- growth, tilapia, 35

Hypophthalmichthys molitrix, see carp, silver

Isochrysis galbana, growth rate, 249

Kurasan, optimum doses, 295

Larvae:
  electrofishing, 453
  fish, water quality monitoring, 107
Loligo forbesi, see squid
Lysine, carp diet, 417

Management, shallow lake, 441
Maturity, catfish, 355
Metabolic, rate, eel, 111
Microalgae, growth rate, 249
Migration, brown trout, 475
Model, production, lake, 427
Monitoring, water quality, 107

Nutrition:
  carp, oilseed, 255
  eel, 119

Oreochromis spp. *see* tilapia
Oxygen deficit, pond, 167

Performance, trout diet, 407
Pond:
  earthen, predation by trout, 147
  oxygen deficit, 167
Population:
  increase, ruffe, 227
  trout, habitat improvement, 463
Prawn, production, 399
Predation, earthen ponds, by trout, 147
Prochilodus platensis, see sabalo
Production:
  model, lake, 427
  prawn, freshwater, 399
  shallow lake, 441
  tilapia, seawater cages, 381

River fishery, population assessment, 233
Ruffe, numbers increase in lake, 227

Sabalo, population assessment, 233
Salmo gairdneri, see trout, rainbow
Salmo salar, see salmon
Salmo trutta, see trout, brown
Salmon:
  electrofishing, 485
  swimming height crossing weir, 193
Salmonid:
  colonization, new glacial streams, 179
  embryo survival assessment, 333
  sampling technique, 485
Sampling technique, salmonids, 485
Scale-based, population assessment, 233
Seawater cages, tilapia production, 381; 389
Sex ratio, heritability, tilapia, 369
Shellfish hatcheries, microalgae, 249
Shock, heat, triploid production, 343
Spawning, catfish, 355
Squid:
  culture, laboratory, 15
  growth, 1
  life span, 15
Stocking:
  density *Cichlasoma* sp., 73; 173
  survival and growth, brown trout, 91; 211; 329
Sudan, fisheries appraisal, 79
Survival:
  brown trout, 211; 329; 475
  embryo, assessment apparatus, 333
  feeding in lake, 97
  hatchery trout, in lake, 91
  stocking times, 329
Swimming height, salmon crossing weir, 193

Temperature:
  optimum, eel culture, 129; 311
  rearing, carp, 287
Tench, biology in Irish lake, 199
Tilapia:
  cold tolerance, 159
  comparison with African catfish, 279
  culture, 49
  growth, 35, 59
  hybrid,
    gene introgression, 269
    growth, 35; 59
  production, seawater cages, 381; 389
  sex ratio heritability, 369
  stocking densities, 49
Tinca tinca (L.), biology, 199
Tolerance, cold, tilapia, 159
Trout:
  brown,
    electrofishing, 485
    exploitation, 475
    fry diet, 325
    growth, 329
    habitat improvement, 463
    heat shock, 343
    pond ecology, 147
    stocking, 329
    survival, 211; 329; 475
    triploid production, 343
  rainbow,
    anti-oxidants on, 295
    diet formulations, 407

Water, quality monitoring, 107